

LED Bright Stik™



WARNING

- Lamp not suitable for use under dust and moisture
- This is a non-dimmable lamp.
- For lamps with a weight significantly higher than that of the lamps for which they are a replacement, attention should be drawn to the fact that the increased weight may reduce the mechanical stability of certain luminaires and lamp holders and may impair contact making and lamp retention.

Operation and maintenance

- Manage in accord with local disposal laws.
- Do not use in enclosed fixture.
- Turn power off before inspection, installation or removal.
- Use in fixture rated for this product.
- Check your fixtures are properly wired and don't deliver voltage spike to lamps causing overheating/failure.
- Lamps should be kept free from contamination.
- Good condition of the lamp-holder contacts is important to ensure proper operation of lamp.
- Store and use the lamps the same way as traditional halogen or incandescent lamps.
- Do not use if the bulb is broken.
- Ensure lamp is cool before removing.
- Tungsrám accepts no liability for injury or damage resulting from incorrect use of the lamp, or from use of the lamp in combination with inappropriate equipment.

تحذير :

- مصباح غير مناسب للاستخدام تحت الغبار والرطوبة
- شدة اضاءة هذه اللمبة غير قابله للخفض.
- بالنسبة للمصابيح التي يزيد وزنها عن المصابيح التي يتم استبدالها ، يجب الانتباه إلى أن زيادة الوزن قد تقلل من الثبات الميكانيكي لبعض المصابيح وأعمدة الإنارة وقد تعيق عملية التلامس والاحتفاظ بالمصباح

عمليات التشغيل و الصيانة

- تتلف حسب القوانين المحليه لادارة المخلفات .
- لاتستخدم فى الكشفات المغلقة
- أوقف تشغيل الطاقة قبل الفحص أو التركيب أو الفك.
- يجب التحقق من التركيبات الخاصة وعزل الاسلاك و يرجى عدم رفع الجهد للمصابيح وإلا ترتفع درة الحرارة وتتلف
- يجب حفظ اللمبات بعيدة عن مصدر التلوث الاشعاعى.
- يجب المحافظة على حامل اللمبات لضمان سلامة التشغيل
- يستخدم في وحدات الاناره المحميه والمناسبه لهذا الغرض.
- تخزن وتحفظ بنفس طريقه حفظ اللمبات العاديه و لمبات الهالوجين.
- لا تستخدم اللمبه في حال وجود أي كسر.
- يجب أن تكون اللمبه بارده في حال الرغبه بالازاله أو الاستبدال.
- تنجسرام غير مسؤله عن أي خطر اصابه أو تلفيات نتيجة للاستخدام الخاطى أو الاستخدام الغير متوافق في وحدة غير مناسبه.

Product code	Description
93047281	LED 7/STIK/830/100-240/E14/F 3/15
93047282	LED 7/STIK/830/100-240/E14/F 3/15 DS
93047524	LED 7/STIK/840/100-240/E14/F 3/15
93047529	LED 7/STIK/865/100-240/E14/F 3/15 DS
93047727	LED 7/STIK/840/100-240/E14/F 1/15
93047728	LED 7/STIK/865/100-240/E14/F 1/15
93047729	LED 7/STIK/830/100-240/E14/F 1/15
93048805	LED 7/STIK/865/100-240/E14/F 3/15
93049166	LED 7/STIK/865/100-240/E14/F 1/15 DS
93049167	LED 7/STIK/830/100-240/E14/F 1/15 DS
93056485	LED 7/STIK/840/100-240/E14/F 1/15 DS
93057190	LED 7/STIK/830/100-240/E14/F 1/15 TU DS
93057191	LED 7/STIK/865/100-240/E14/F 1/15 TU DS
93064014	LED6/STIK/830/220-240V/E27/BX
93064015	LED6/STIK/840/220-240V/E27/BX
93064016	LED6/STIK/865/220-240V/E27/BX
93064017	LED6/STIK/830/220-240V/B22/BX
93064018	LED6/STIK/865/220-240V/B22/BX
93064019	LED9/STIK/830/220-240V/E27/BX
93064020	LED9/STIK/840/220-240V/E27/BX
93064021	LED9/STIK/865/220-240V/E27/BX
93064022	LED9/STIK/830/220-240V/B22/BX
93064023	LED9/STIK/865/220-240V/B22/BX
93064024	LED12/STIK/830/220-240V/E27/BX
93064025	LED12/STIK/840/220-240V/E27/BX
93064026	LED12/STIK/865/220-240V/E27/BX
93064027	LED12/STIK/830/220-240V/B22/BX

Product code	Description
93064028	LED12/STIK/865/220-240V/B22/BX
93064029	LED15/STIK/830/220-240V/E27/BX
93064030	LED15/STIK/840/220-240V/E27/BX
93064031	LED15/STIK/865/220-240V/E27/BX
93064032	LED15/STIK/830/220-240V/B22/BX
93064033	LED15/STIK/865/220-240V/B22/BX
93064034	LED6/STIK/830/220-240V/E27/BX DS
93064035	LED6/STIK/865/220-240V/E27/BX DS
93064036	LED6/STIK/830/220-240V/B22/BX DS
93064037	LED6/STIK/865/220-240V/B22/BX DS
93064038	LED9/STIK/830/220-240V/E27/BX DS
93064039	LED9/STIK/865/220-240V/E27/BX DS
93064040	LED9/STIK/830/220-240V/B22/BX DS
93064041	LED9/STIK/865/220-240V/B22/BX DS
93064042	LED12/STIK/830/220-240V/E27/BX DS
93064043	LED12/STIK/865/220-240V/E27/BX DS
93064044	LED12/STIK/830/220-240V/B22/BX DS
93064045	LED12/STIK/865/220-240V/B22/BX DS
93064046	LED15/STIK/830/220-240V/E27/BX DS
93064047	LED15/STIK/865/220-240V/E27/BX DS
93064048	LED15/STIK/830/220-240V/B22/BX DS
93064049	LED15/STIK/865/220-240V/B22/BX DS
93064050	LED6/STIK/830/220-240V/E27/BX TU
93064051	LED6/STIK/865/220-240V/E27/BX TU
93064052	LED9/STIK/830/220-240V/E27/BX TU
93064053	LED9/STIK/865/220-240V/E27/BX TU
93064054	LED12/STIK/830/220-240V/E27/BX TU

Product code	Description
93064055	LED12/STIK/865/220-240V/E27/BX TU
93064056	LED15/STIK/830/220-240V/E27/BX TU
93064057	LED15/STIK/865/220-240V/E27/BX TU
93064058	LED9/STIK/830/220-240V/E27/BX TU DS
93064059	LED9/STIK/865/220-240V/E27/BX TU DS
93068471	LED9/STIK/830/220-240/E27/F 3/15
93068472	LED9/STIK/840/220-240/E27/F 3/15
93068473	LED9/STIK/830/220-240/B22/F 3/15
93077315	LED6/STIK/865/100-240/E27/F 1/15 DS
93078761	LED 6/STIK/840/220-240V/E27/BX DS
93078762	LED 9/STIK/840/220-240V/E27/BX DS
93078763	LED12/STIK/840/220-240V/E27/BX DS
93078764	LED15/STIK/840/220-240V/E27/BX DS
93079654	LED6/STIK/830/220-240V/E27/F 3/15
93079655	LED6/STIK/840/220-240V/E27/F 3/15
93080246	LED6/STIK/865/220-240V/E27/F 3/15
93080247	LED9/STIK/865/220-240V/E27/F 3/15
93080248	LED12/STIK/830/220-240V/E27/F 2/10
93080249	LED12/STIK/840/220-240V/E27/F 2/10
93080250	LED12/STIK/865/220-240V/E27/F 2/10
93080251	LED15/STIK/830/220-240V/E27/F 2/10
93080252	LED15/STIK/840/220-240V/E27/F 2/10
93080253	LED15/STIK/865/220-240V/E27/F 2/10
93080254	LED6/STIK/830/220-240V/E27/F 3/15 DS
93080255	LED6/STIK/840/220-240V/E27/F 3/15 DS
93080256	LED6/STIK/865/220-240V/E27/F 3/15 DS
93080257	LED9/STIK/865/220-240V/E27/F 3/15 DS
93080258	LED12/STIK/830/220-240V/E27/F 2/10 DS
93080259	LED12/STIK/840/220-240V/E27/F 2/10 DS
93080260	LED12/STIK/865/220-240V/E27/F 2/10 DS
93080261	LED15/STIK/830/220-240V/E27/F 2/10 DS
93080262	LED15/STIK/840/220-240V/E27/F 2/10 DS
93080263	LED15/STIK/865/220-240V/E27/F 2/10 DS
93083022	LED9/STIK/830/220-240/E27/F 3/15 DS
93083023	LED9/STIK/830/220-240/B22/F 3/15 DS
93083024	LED9/STIK/840/220-240/E27/F 3/15 DS
93085437	LED12/STIK/830/220-240V/E27/BX TU DS
93085438	LED12/STIK/865/220-240V/E27/BX TU DS
93085439	LED15/STIK/830/220-240V/E27/BX TU DS
93089074	LED15/STIK/865/220-240V/E27/BX TU DS
93095930	LED 6/STIK/830/220-240V/B22/BX TU
93095931	LED 6/STIK/865/220-240V/B22/BX TU
93095932	LED 9/STIK/830/220-240V/B22/BX TU
93095933	LED 9/STIK/865/220-240V/B22/BX TU
93095934	LED12/STIK/830/220-240V/B22/BX TU
93095935	LED12/STIK/865/220-240V/B22/BX TU
93096456	LED15/STIK/830/220-240V/B22/BX TU
93096457	LED15/STIK/865/220-240V/B22/BX TU
93103393	LED 6/STIK/830/220-240V/E27/BX TU DS
93103394	LED 6/STIK/865/220-240V/E27/BX TU DS
93103395	LED 6/STIK/830/220-240V/B22/BX TU DS

Product code	Description
93103946	LED 6/STIK/865/220-240V/B22/BX TU DS
93103947	LED 9/STIK/830/220-240V/B22/BX TU DS
93103948	LED 9/STIK/865/220-240V/B22/BX TU DS
93103949	LED12/STIK/830/220-240V/B22/BX TU DS
93103950	LED12/STIK/865/220-240V/B22/BX TU DS
93103951	LED15/STIK/830/220-240V/B22/BX TU DS
93103952	LED15/STIK/865/220-240V/B22/BX TU DS
93108189	LED 9/STIK/830/220-240V/E27/BX TU 1/5
93109512	LED 7/STIK/830/100-240/E14/F TU 3/15
93109513	LED 7/STIK/840/100-240/E14/F TU 3/15
93109514	LED 7/STIK/840/100-240/E14/F TU
93109515	LED 7/STIK/865/100-240/E14/F TU 3/15
93110184	LED 6/STIK/840/220-240V/E27/BX TU
93110185	LED 9/STIK/840/220-240V/E27/BX TU
93110186	LED12/STIK/840/220-240V/E27/BX TU
93110187	LED15/STIK/840/220-240V/E27/BX TU
93110188	LED 9/STIK/840/220-240V/E27/BX TU DS
93110189	LED 9/STIK/830/220-240/E27/F 3/15 TU
93110190	LED 9/STIK/840/220-240/E27/F 3/15 TU
93110191	LED 9/STIK/830/220-240/B22/F 3/15 TU
93110192	LED 6/STIK/830/220-240V/E27/F 3/15 TU
93110193	LED 6/STIK/840/220-240V/E27/F 3/15 TU
93110194	LED 6/STIK/865/220-240V/E27/F 3/15 TU
93110195	LED 9/STIK/865/220-240V/E27/F 3/15 TU
93110196	LED12/STIK/830/220-240V/E27/F 2/10 TU
93110197	LED12/STIK/840/220-240V/E27/F 2/10 TU
93110198	LED12/STIK/865/220-240V/E27/F 2/10 TU
93110199	LED15/STIK/830/220-240V/E27/F 2/10 TU
93110200	LED15/STIK/840/220-240V/E27/F 2/10 TU
93110201	LED15/STIK/865/220-240V/E27/F 2/10 TU
93110202	LED12/STIK/840/220-240V/E27/BX TU DS
93110203	LED15/STIK/840/220-240V/E27/BX TU DS
93110204	LED 6/STIK/840/220-240V/B22/BX TU
93110205	LED 9/STIK/840/220-240V/B22/BX TU
93110206	LED12/STIK/840/220-240V/B22/BX TU
93110207	LED15/STIK/840/220-240V/B22/BX TU
93110208	LED 6/STIK/840/220-240V/E27/BX TU DS
93110209	LED 6/STIK/840/220-240V/B22/BX TU DS
93110210	LED 9/STIK/840/220-240V/B22/BX TU DS
93110211	LED12/STIK/840/220-240V/B22/BX TU DS
93110212	LED15/STIK/840/220-240V/B22/BX TU DS
93110796	LED 7/STIK/865/100-240/E14/F 1/15 TU
93110797	LED 7/STIK/830/100-240/E14/F 1/15 TU
93069779	LED6/STIK/830/220-240V/E27/BX SATU
93069780	LED6/STIK/865/220-240V/E27/BX SATU
93069781	LED9/STIK/830/220-240V/E27/BX SATU
93069782	LED9/STIK/865/220-240V/E27/BX SATU
93069783	LED12/STIK/830/220-240V/E27/BX SATU
93069784	LED12/STIK/865/220-240V/E27/BX SATU
93069785	LED15/STIK/830/220-240V/E27/BX SATU
93069786	LED15/STIK/865/220-240V/E27/BX SATU

